plication No.	Applicant(s)
/557 623	HUITEMA ET AL.
aminer ·	Art Unit
. David Coleman	2823
on the cover sheet with the of REMAINS) CLOSED in this apother appropriate communication. This application is subject to MPEP 1308.	correspondence address— optication. If not included on will be mailed in due course. THIS to withdrawal from issue at the initiative
3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  a)  All b)  Some* c)  None of the:  1.  Certified copies of the priority documents have been received.  2.  Certified copies of the priority documents have been received in Application No  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).  * Certified copies not received:  Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached  1)  hereto or 2)  to Paper No./Mail Date  (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).  6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.	
5. Notice of Informa 6. Interview Summa Paper No./Mail 7. Examiner's Amel 8. Examiner's State 9. Other	ary (PTO-413), Date
	aminer  David Coleman  on the cover sheet with the case REMAINS) CLOSED in this application is subjected to MPEP 1308.  This application is subjected to MPEP 1308.  The received in Application No. In the received in Application No. In the shave been received in this communication to file a report of this application.  In Note the attached EXAMINE reason(s) why the oath or declar as a submitted.  The Patent Drawing Review (PT amendment / Comment or in the sheader according to 37 CFR 1.12 of BIOLOGICAL MATERIAL OF BIOLOGICAL OF BI

10/557,623 Art Unit: 2823

## **DETAILED ACTION**

## Allowable Subject Matter

- 1. Claims 1-10 allowed.
- 2. The following is an examiner's statement of reasons for allowance: the prior art does not anticipate nor render obviousness as to a method of manufacturing a field effect transistor wherein the dielectric layer and the organic semiconductor layer are patterned together.
- 3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

## Conclusion

- 4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to W. David Coleman whose telephone number is 571-272-1856.

  The examiner can normally be reached on Monday-Friday 9:00 AM 5:30 PM.
- 5. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matt Smith can be reached on 571-272-1907. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.
- 6. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

Application/Control Number:

10/557,623 Art Unit: 2823

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

W. David Colombia Primary Examiner Art Unit 2823

WDC